Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.39

TRADE LIST

Washington, O'S

Old Colony Nursery

FALL, 1912

T. R. WATSON

PLYMOUTH, MASSACHUSETTS



TRADE LIST

Old Colony Nursery

FALL, 1912

T. R. WATSON

PLYMOUTH, MASSACHUSETTS

FALL TRADE LIST, 1912.

1840 Old Colony Nursery 1912

T. R. Watson

Plymouth, Massachusetts

Prices on this list net and subject to stock not being sold.

GUARNATEE.—We take the greatest pains to have every plant marked true to name. Any plant incorrectly marked will be promptly replaced, or money returned. We do not guarantee any more than the original cost of the plant.

the original cost of the plant.
We can not guarantee plants to live, at the prices of this catalogue.
We send out young, thrifty plants, which should live if properly planted and cared for.

Delivery of all packages to freight or express free.

We do not pay either freight or express.

All plants at the risk of the purchaser after they are delivered to the public carrier.

Please say whether you will have your order sent by freight or by express.

Meeting dates: Where sufficient notice is given, weather permitting, plants will be shipped on a given date.

Please give date on which you want them shipped, and not the date on which you want them to arrive.

No man living can tell how long it will take a freight package to reach any point in the country, at a moment's notice.

On orders received before the middle of March, the schedule time of freight will be ascertained, if desired.

Express packages arrive in Boston on day of shipment. Express packages arrive in New York on following day.

Freight packages arrive in Boston the day after shipment.
Freight packages due to arrive in New York the day after shipment.

TERMS.—Cash with order or satisfactory references, except where parties are known.

Bills of regular customers become due June 1st for Spring shipments; January 1st for Fall shipments.

Box, 10 cents to 50 cents. Bales 25 cents to \$1.50.

CASES.

| 2 ft. by 2 ft. by 10 ft., | \$2.00 | 20 in. by 20 in. by 10 ft., | \$1.75 |
|-----------------------------|--------|-----------------------------|--------|
| 2 ft. by 2 ft. by 8 ft., | 1.75 | 20 in. by 20 in. by 8 ft., | 1.50 |
| 2 ft. by 2 ft. by 6 ft., | 1.50 | 20 in. by 20 in. by 6 ft., | 1.25 |
| 2 ft. by 2 ft. by 5 ft., | 1.25 | 20 in. by 20 in. by 5 ft., | 1.00 |
| 2 ft. by 2 ft. by 4 ft., | 1.00 | 20 in. by 20 in. by 4 ft., | .75 |
| 16 in. by 16 in. by 10 ft., | 1.50 | 16 in. by 16 in. by 6 ft., | 1.00 |
| 16 in. by 16 in. by 8 ft., | 1.25 | 16 in. by 16 in. by 5 ft., | .75 |
| | 1.20 | 16 in. by 16 in. by 4 ft., | .50 |

DECIDUOUS TREES AND SHRUBS

Fifty at the rate for 100.

Five at the rate for 10.

Less than five at the rate for ten, where the price is twenty-five cents or over,

Less than five, add five cents each to rate for ten, where the rate for ten is less than twenty-five cents.

Prics subject to stock not being sold.

| | er ranjer | | 8 | | | | |
|------|-----------|-------------------|---------------|---------------|-----|--------|---------|
| | | | | | | Per 10 | Per 100 |
| 30 | Acer das | ycarpum, Silver | Maple, | 8 to 12 | ft. | 3.50 | |
| 150 | | | | 6 to 8 | ft. | 2.00 | 15.00 |
| 350 | | | | 4 to 6 | ft. | 1.25 | 10.00 |
| 10 | | var. Wieri la | ciniatum, | 8 to 10 | ft. | 6.00 | |
| 30 | | | | 5 to 6 | ft. | 2.00 | 15.00 |
| 25 | | palmatum, Japa | anese Maple | (type) | | | |
| | | | | 6 to 8 | ft. | 10.00 | |
| 25 | | palmatum atrop | urpureum, | 2 to 3 | ft. | 10.00 | |
| 25 | | Pennsylvanicum | (striatum) | 4 to 5 | ft. | 4.00 | |
| 100 | | | | 3 to 4 | ft. | 2.50 | 20.00 |
| 50 | | platinoides, 11/4 | to 11/2 in., | 9 to 10 | ft. | 6.00 | 50.00 |
| 200 | | • | | in., 8 to 9 | | 5.00 | 40.00 |
| 400 | | | | 6 to 8 | | 1.50 | 12.00 |
| 20 | | Pseudo-Platanus | , 1 in. calip | er, 8 to 10 | ft. | 5.00 | |
| 90 | | | | 6 to 8 | | 3.00 | 25.00 |
| 125 | | | | 4 to 5 | ft. | 1.75 | 15.00 |
| 100 | | saccharinum, Su | igar Maple, | 8 to 10 | ft. | 3.50 | 25.00 |
| 150 | | | | 4 | ft. | 1.50 | 12.00 |
| 20 | | spicatum, | | 4 to 5 | ft. | 2.50 | 20.00 |
| 18 | | | | 2 to 3 | ft. | 2.00 | 15.00 |
| 80 | | Schwedleri, | | 6 to 8 | ft. | 5.00 | 45.00 |
| 100 | | Tartaricum, va | r. Ginnala, | 6 | ft. | 2.50 | 15.00 |
| 200 | | | , | 4 to 5 | ft. | 2.00 | 12.00 |
| 200 | | | | 18 to 24 | in. | 1.00 | 8.00 |
| 1000 | | seedlings, | | 8 to 12 | in. | | 3.00 |
| 45 | Æsculus | hippocastaneum, | 11/2 to 2 in. | caliper. | | | |
| | | | , ~ | 8 to 9 | ft. | 7.50 | |
| 15 | | | l in. ca | liper, 6 to 8 | | 5.00 | 40.00 |
| 30 | | rubicunda, 11/4 | | | | 10.00 | 10.00 |
| 15 | | macrostachya, | | 18 | in. | 1.50 | |
| 100 | Alnus in | | | 8 to 10 | - | 1.50 | 10.00 |
| 25 | | | | 3 to 4 | | 1.00 | 20.00 |
| 50 | Amelanch | hier Botryapium | | 2 to 3 | | 1.50 | |
| 100 | | | . 0 | 18 to 24 | in. | 1.25 | 10.00 |
| | | | | | | | -0.00 |

| | | | Per 10 | Per 100 |
|-------------|------------------------------------|--------------|--------------|---------|
| 300 | Amelanchier Botryapium, | 12 to 18 in. | 1.00 | 8.00 |
| 25 | Andromeda arborea, | 2 to 3 ft. | 3.50 | |
| 10 | floribunda, | 12 to 15 in. | 5. 00 | |
| 15 | Japonica, | 18 in. | 7.50 | |
| 20 | Ligustrina, | 2 to 3 ft: | 2.00 | |
| 25 | racemosa, | 2 to 3 ft. | 2.50 | 4 |
| 15 | Aralia spinosa, | 5 to 6 ft. | 3.50 | |
| 25 | • | 3 to 4 ft. | 2.50 | |
| 50 | | 2 ft. | 1.50 | |
| 200 | pentaphylla, | 3 ft. | 1.25 | 10.00 |
| 150 | | 2 to 3 ft. | 1.00 | 8.00 |
| 5 0 | Azalea arborescens, | 18 to 24 in. | 5.00 | |
| 25 | | 12 to 18 in. | 3.00 | |
| 50 | calendulacea, | 12 to 18 in. | 2.50 | |
| 75 | Ghent, 10 nam. varieties, | 24 to 30 in. | 6.00 | |
| 50 | mollis, yellow or red, | 18 to 24 in. | 3.50 | 30.00 |
| 50 | | 12 to 18 in. | 3.00 | 25.00 |
| 25 | nudiflora, | 18 to 24 in. | 3.00 | |
| 25 | · | 12 to 18 in. | 2.50 | |
| 25 | Vaseyi, | 24 in. | 6.00 | |
| 85 | • | 18 to 24 in. | 5. 00 | |
| 50 | viscosum, | 24 in. | 2.50 | |
| 200 | | 12 to 18 in. | 2.00 | |
| 350 | Baccharis halimifolia, | 3 to 4 ft. | 1.25 | 10.00 |
| 200 | , | 2 to 3 ft. | 1.00 | 8.00 |
| 700 | Berberis Thunbergii, | 18 to 24 in. | 1.00 | 8.00 |
| 1750 | | 12 to 18 in. | .80 | 6.00 |
| 1200 | vulgaris, | 2 to 3 ft. | 1.00 | 5.00 |
| 800 | | 18 to 24 in. | .50 | 4.00 |
| 75 0 | purpurea, | 2 to 3 ft. | 1.00 | 4.00 |
| 750 | | 18 to 24 in. | .50 | 3.00 |
| 200 | Betula alba, | 3 to 4 ft. | .75 | 5.00 |
| 15 | alba, var. laciniata, | 12 to 15 ft. | 10.00 | |
| 15 | | 8 to 10 ft. | 7.50 | |
| 40 | | 4 to 5 ft. | 3.50 | |
| 100 | nigra, bushy, | 4 to 5 ft. | 2.50 | 20.00 |
| 250 | | 3 to 4 ft. | 1.50 | 12.00 |
| 25 | papyrifera, | 12 to 15 ft. | 5.00 | |
| 75 | | 3 to 4 ft. | .80 | 7.00 |
| 100 | populifolia, | 3 to 4 ft. | 1.25 | 10.00 |
| | Caragana arborescens, | 3 to 5 ft. | 1.50 | 12.00 |
| 250 | | 2 to 3 ft. | 1.00 | 8.00 |
| | Calycanthus floridus, | 2 to 3 ft. | 1.00 | 8.00 |
| 75 | Caryopteris mastacanthus, blue spi | ræa, 18 in. | 1.00 | 8.00 |

| | | | Per 10 | Per 100 |
|------------|--|---------------|--------|---------|
| 100 | Caryopteris mastacanthus, blue spiræa, | 12 to 18 in. | .80 | 6.00 |
| | Castanea sativa, American Chestnut, | 6 to 8 ft. | 3.50 | |
| | Carpinus Betulus, | 4 to 6 ft. | 3.00 | |
| | Catalpa speciosa, | 2 in. caliper | 5.00 | |
| 250 | | 6 to 8 ft. | 2.00 | 15.00 |
| 100 | | 4 to 5 ft. | 1.00 | 8.00 |
| 250 | Ceanothus Americanus, | 18 to 24 in. | 1.25 | 10.00 |
| | Cercidiphyllum Japonicum, | 5 to 6 ft. | 7.50 | |
| | Cerasus; see Prunus. | | | |
| 50 | Cercis Canadensis, | 3 to 4 ft. | 3.00 | 25.00 |
| 100 | , | 2 to 3 ft. | 1.50 | 12.00 |
| 40 | Chionanthus Virginica, | 2 to 3 ft. | 2.00 | |
| | Cladrastis tinctoria (Virgilea lutea) | 6 ft. | 4.00 | |
| 50 | , 6 | 5 to 6 ft. | 3.50 | 25.00 |
| 300 | Clethra alnifolia, | 2 ft. | 1.00 | 8.00 |
| 200 | , | 18 to 24 in. | .80 | 6.00 |
| 25 | Cornus elegantissima, | 2 to 3 ft. | 1.50 | |
| 75 | florida, | 3 to 4 ft. | 4.00 | |
| 250 | | 2 to 3 ft. | 2.00 | 15.00 |
| 100 | Mas., | 4 to 5 ft. | 1.75 | 12.00 |
| 150 | , | 3 to 4 ft. | 1.25 | 10.00 |
| 150 | paniculata, | 24 in. | 1.00 | 6.00 |
| 600 | sanguinea, | 3 ft. | 1.00 | 6.00 |
| 400 | | 2 to 3 ft. | .80 | 4.00 |
| 800 | sericea, | 3 to 4 ft. | 1.00 | 6.00 |
| 400 | , | 2 to 3 ft. | .75 | 4.00 |
| 50 | stolonifera, | 3 to 4 ft. | 1.50 | 12.00 |
| 100 | • | 2 to 3 ft. | 1.25 | 10.00 |
| 750 | stolonifera, var. Siberica, | 2 to 3 ft. | 1.00 | 8.00 |
| 18 | var. flaviramea, | 2 to 3 ft. | 1.50 | |
| 75 | | 18 to 24 in. | 1.00 | 9.00 |
| 5 0 | Cratægus Arnoldiana, | 5 to 6 ft. | 2.50 | 20.00 |
| 10 | melanocarpa, | 5 to 6 ft. | 2.50 | |
| 400 | oxycantha, | 18 to 24 in. | .80 | 6.00 |
| 50 | oxycantha, dble. pink, | 4 to 5 ft. | 5.00 | |
| 10 | oxycantha, Paul's scarlet, | 4 to 5 ft. | 5.00 | |
| 30 | oxycantha, dble. white, | 5 to 6 ft. | 5.00 | |
| 50 | Cytisus Laburnum, | 4 to 5 ft. | 4.00 | |
| 50 | Desmodium penduliflorum, purple, | 2 to 3 ft. | 1.50 | |
| | Deutzia gracilis, | 12 to 15 in. | 1.25 | 10.00 |
| 20 | gracilis, rosea, | 18 to 24 in. | 1.25 | |
| 35 | parviflora, | 18 to 24 in. | 1.25 | |
| 250 | scabra, dble. rose, | 2 to 3 ft. | 1.00 | 5.00 |
| 200 | | 18 to 24 in. | .60 | 4.00 |

| | | | Per 10 Per 100 |
|------|--------------------------------|------------------------|------------------|
| 250 | Deutzia scabra, dble. white, | 2 to 3 ft. | 1.00 5.00 |
| 200 | | 18 to 24 in. | .60 4.00 |
| 250 | Fortunei, single white | , 2 to 3 ft. | 1.00 5.00 |
| 200 | | 18 to 24 in | .60 4.00 |
| 250 | Pride of Rochester, | 2 to 3 ft. | 1.00 5.00 |
| 200 | · | 18 to 24 in. | 1.00 4.00 |
| 150 | Diervilla (Weigela) rosea, | 2 to 3 ft. | 1.50 12.00 |
| 100 | , , , | 18 to 24 in. | 1.25 10.00 |
| 250 | variegata, | 2 to 3 ft. | 1.50 12.00 |
| 45 | Eleagnus hortensis, Bohemian C | live, 4 to 5 ft. | 2.50 |
| 150 | longipes, | 3 to 4 ft. | 1.50 12.00 |
| | Exochorda grandiflora, | 2 to 3 ft. | 1.50 12.00 |
| | Euonymous Americanus, | 18 to 24 in. | 1.50 |
| 45 | Europæus, | 4 to 5 ft. | 2.50 |
| | var, radicans; see vines. | | |
| 50 | Fagus ferruginea, | 18 to 24 in. | 2.50 |
| 75 | sylvatica, | 4 to 5 ft. | 3.50 30.00 |
| 75 | | 3 to 4 ft. | 2.50 20.00 |
| , , | coll. seedlings, | 1 to 2 ft. | .75 5.00 |
| 20 | asplenifolia, | 3 to 4 ft. | 10.00 |
| 15 | var, weeping, | 8 to 10 ft. | 15.00 |
| 15 | , , , , , , , , , | 4 to 5 ft. | 10.00 |
| 20 | var. weeping purpurea | , new, 3 to 4 ft. | 15.00 |
| 50 | purpurea, | 6 to 8 ft. | 5.00 35.00 |
| 50 | purpurea, Rivers, | 5 to 6 ft. | 6.00 50.00 |
| | Forsythia Fortunei, | 3 to 4 ft. | 1.00 8.00 |
| 200 | - configuration , | 2 to 3 ft. | .75 6.00 |
| 500 | intermedia, | 3 to 4 ft. | 1.00 8.00 |
| 200 | • | 2 to 3 ft. | .75 6.00 |
| 150 | suspensa, | 2 to 3 ft. | 1.25 10.00 |
| 200 | | 1 to 2 ft. | 1.00 8.00 |
| 2 | Ginkgo biloba, | 8 ft. | 10.00 |
| 21 | | 4 to 5 ft. | 3.00 |
| 10 | Halesia tetraptera, | 2 to 3 ft. | 2.50 |
| | Hamamelis Virginiana, | 3 to 4 ft. | 1.25 12.00 |
| 350 | 5 , | 2 to 3 ft. | 1.00 8.00 |
| 150 | Hibiscus Syriacus, | 2 to 3 ft. | 1.25 12.00 |
| Amp | lissima, dble. dark rose. | Elegantissima, semi o | ible. white. |
| Aner | nonæflorus, dble. dark red. I | Pulcherrima, semi db | le. rosy white |
| | | Rubis, single red. | • |
| | - | Speciosa, dble. fleshy | white. |
| | | lotus albus, single | |
| | | 18 to 24 in. | |
| 450 | Hippophæ rhamnoides, | 3 to 4 ft. | 1.50 10.00 |
| | · | | |
| | | | |
| | | | |

| | | | Per 10 Per 100 |
|------|--------------------------------------|--------------|----------------|
| 200 | Hippophæ rhamnoides, | 2 to 3 ft. | 1.25 8.00 |
| | Hydrangea arborescens, | 3 ft. | 1.25 10.00 |
| 100 | sterilis, | 2 to 3 ft. | 3.00 25.00 |
| 750 | paniculata grandiflora, | 2 to 3 ft. | 1.25 10.00 |
| | Hypericum aureum, | heavy, 3 ft. | 2.50 |
| 25 | • | 24 in. | 1.50 |
| 300 | prolificum, | 2 to 3 ft. | 1.50 10.00 |
| 10 | Ilex verticillata, | 24 in. | 1.50 12.00 |
| 200 | · | 12 to 18 in. | 1.25 10.00 |
| 25 | Jasminium nudiflorum, | 18 to 24 in. | 2.00 15.00 |
| 100 | | 12 to 18 in. | 1.50 - 12.00 |
| 23 | Juglans cinerea, | 6 ft. | 5.00 |
| 14 | nigra, | 6 to 8 ft. | 6.00 |
| 100 | Kalmia latifolia, with ball, | 12 to 15 in. | 3.50 30.00 |
| 200 | Kerria Japonica, single yellow, | 2 to 3 ft. | 1.25 8.00 |
| 250 | variegated, heavy, | 24 in. | 1.25 8.00 |
| 200 | heavy, | 12 to 18 in. | 1.00 6.00 |
| 15 | Kœlreuteria paniculata, | 8 to 10 ft. | 10.00 |
| 100 | | 3 to 4 ft. | 2.50 20.00 |
| 200 | Larix Europæa, | 3 to 4 ft. | 2.50 20.00 |
| 200 | | 2 to 3 ft. | 2.00 15.00 |
| 200 | Ligustrum Amurense, | 3 ft. | 1.00 6.00 |
| 1000 | Ibota, | 2 to 3 ft. | 1.00 7.00 |
| 225 | | 18 to 24 in. | .75 5.00 |
| 500 | ovalifolium, | 3 ft. | 1.00 6.00 |
| 500 | | 2 to 3 ft. | .75 5.00 |
| 700 | | 18 to 24 in. | .50 3.00 |
| 200 | Regelianum, | 2 to 3 ft. | 1.00 8.00 |
| 400 | | 18 to 24 in. | .75 6.00 |
| | Liquidambar styraciflua, | 2 to 3 ft. | 3.50 |
| 150 | Liriodendron tulipifera, Tulip Tree, | 4 to 6 ft. | 2.00 15.00 |
| 150 | | 2 to 3 ft. | 1.25 10.00 |
| | Lonicera Bella albida, | 3 to 4 ft. | 1.25 10.00 |
| 300 | candida, | 3 to 4 ft. | 1.25 10.00 |
| 500 | | 2 to 3 ft. | 1.00 8.00 |
| 200 | atrorosea, | 3 to 4 ft. | 1.25 10.00 |
| 500 | | 2 to 3 ft. | 1.00 8.00 |
| 250 | Morrowi, | 2 to 3 ft. | 1.00 8.00 |
| 700 | Ruprechtiana, | 2 to 3 ft. | 1.00 8.00 |
| | Lycium vulgare Matrimony vine, | | 1.00 8.00 |
| | Magnolia accuminata, | 5 to 6 ft. | 5.00 |
| 50 | G 1 | 3 to 4 ft. | 2.50 |
| 40 | Soulangeana, | 3 to 4 ft. | 10.00 |
| 20 | speciosa, | 3 ft. | 10.00 |
| 25 | stellata (Halleana) | 24 in. | 10.00 |

| 95 | Magnolia tripetala, | 0 41 | Per 10 Per 100 |
|-------------|------------------------------------|----------------------------|----------------|
| 25 | · , | 8 ft. | 7.50 |
| 40 | Malus; see Pyrus. | 3 to 4 ft. | 4.00 |
| 10 | Morus, Mulberry, Downing, | 0 4- 0 44 | 9.00 |
| 50 | Nyssa multiflora, transp. | 2 to 3 ft. 12 to 18 in. | 3.00 |
| | Philadelphus aureus, | 18 to 24 in. | 1.25 10.00 |
| 600 | | 3 to 4 ft. | 1.20 |
| 200 | , | 2 to 3 ft. | 1.25 10.00 |
| 500 | grandiflorus, | - 00 0 10. | 1.00 8.00 |
| 200 | grandmorus, | | 1.25 10.00 |
| | | | 1.00 8.00 |
| 25 | speciosissimus, | | 1.50 |
| | Physocarpus opulifolia, | 2 to 3 ft. 3 to 4 ft. | 1.00 8.00 |
| 100 | aurea, | 0 00 1 100 | 1.25 10.00 |
| 500 | Distance and look in | 2 to 3 ft. | 1.00 8.00 |
| | Platanus occidentalis, | 6 to 8 ft. | 3.50 |
| | Populus balsamifera, | 6 to 8 ft. | 1.25 10.00 |
| 300 | 1110 C 11 | 5 to 6 ft. | 1.00 8.00 |
| 200 | monilifera, Carolina, | 8 ft. up. | 1.25 10.00 |
| 500 | * T. 1. (T 1 | 6 to 8 ft. | 1.00 8.00 |
| 5 00 | nigra, var. Italica (Lombar | • , | 0.50 00.00 |
| | | 8 to 10 ft. | 2.50 20.00 |
| 2250 | | 6 to 8 ft. | 1.50 12.00 |
| 1750 | | 5 to 6 ft. | 1.00 8.00 |
| | Prunus avium, double white, | 8 to 10 ft. | 5.00 40.00 |
| 70 | Japonica fl. pl. alba, | 2 to 3 ft. | 2.50 |
| 4 | Japonica fl. pl. rosea, | 2 to 3 ft. | 2.50 |
| 25 | padus, | 2 to 3 ft. | 1,50 |
| 20 | Pissardi, | 5 ft. | 3.50 |
| 100 | | 3 to 4 ft. | 2.50 20.00 |
| 50 | pseudo-cerasus, | 3 to 4 ft. | 5.00 |
| 10 | Sinensis fl. rosea pendula, hea | | 10.00 |
| 12 | subhirtilla, | 3 to 4 ft. | 10.00 |
| 40 | triloba, | 2 ft. | 2.50 |
| | Pyrus Aucuparia, European Mt. Ash, | 8 to 10 ft. | 2.50 |
| 75 | | 6 to 8 ft. | 1.25 10.00 |
| 10 | Americana, | 4 to 5 ft. | 2.50 |
| 100 | arbutifolia, | 24 in. | 1.25 10.00 |

The following, Flowering Apples, are among the most showy of ornamental plants.

| | | | | | | Per 10 Pe | er 100 |
|-----------|------------|---|----|---|-----|-----------|--------|
| 10 Pyrus, | Kaido, | | | 3 | ft. | 4.00 | |
| 30 | coronaria, | 5 | to | 6 | ft. | 6.00 | |

| | | | Per 10 Per 100 |
|------------------------|---------------------------------------|-------------------|----------------|
| 130 | Pyrus, coronaria, | 3 to 4 ft. | 3.00 |
| 10 | Dawson, | 3 to 5 ft. | 5.00 |
| 30 | floribunda, | 5 to 6 ft. | 6.00 |
| 30 | | 4 to 5 ft. | 5.00 |
| 150 | | 3 to 4 ft. | 3.00 |
| 50 | atrosanguinea, | 5 to 6 ft. | 5.00 |
| 75 | | 4 to 5 ft. | 4.00 |
| 100 | | 3 to 4 ft. | 3.00 |
| 20 | Ioensis, Betchel's crab, | 3 to 4 ft. | 4.00 |
| 20 | | 2 to 3 ft. | 3.00 |
| 50 | Niedwitskiana, | 5 to 6 ft. | 5.00 |
| 200 | | 4 to 5 ft. | 4.00 |
| 30 | Parkmanii, | 5 to 6 ft. | 6.00 |
| 125 | | 3 to 4 ft. | 5.00 |
| 100 | Scheideckeri, | 3 to 4 ft. | 3.00 |
| 30 | spectabilis, fl. pl. rosea, | 6 to 8 ft. | 6.00 |
| 33 | | 5 to 6 ft. | 5.00 |
| 75 | | 3 to 4 ft. | 3.00 |
| 30 | spectabilis, fl. pl. alba, | 4 to 6 ft. | 5.00 |
| 50 | | 3 to 4 ft. | 3.00 |
| $\mathbf{A}\mathbf{b}$ | ove varieties of flowering Apples i | n two year old | l plants at |
| \$25.0 | 0 per 100. | | |
| 200 | Pyrus Japonica, mixed colors, Japan I | Pear, 2 to 3 ft. | .80 6.00 |
| 25 | alba, | 18 to 24 in. | 1.00 |
| 25 | cardinalis, | 18 to 24 in. | 1.00 |
| 150 | umbilicata rosea, | 2 to 3 ft. | 1.00 8.00 |
| 10 | Quercus coccinea, | 4 to 5 ft. | 5.00 |
| 50 | palustris, 2 in. | cal., 8 to 10 ft. | 10.00 |
| 36 | | 6 to 8 ft. | 5.00 |
| 27 | rubra, 2 in. cal | ., 8 to 10 ft. | 10.00 |
| 25 | | 6 to 8 ft. | 5.00 |
| 125 | Rhamnus catharticus, | 2 to 3 ft. | 1.00 8.00 |
| 175 | | 2 ft. | 6.00 |
| 300 | | 18 to 24 in. | 5.00 |
| 100 | frangula, | 4 to 5 ft. | 1.00 8.00 |
| 300 | Rhodotypos kerriodes, | 3 ft. | 1.25 8.00 |
| 200 | | 2 to 3 ft. | 1.00 6.00 |
| 500 | | 18 to 24 in. | .75 4.00 |
| 50 | Rhus aromatica, | 2 ft. up. | 2.50 20.00 |
| 150 | | 18 to 24 in. | 1.75 15.00 |
| 200 | | 12 to 18 in. | 1.25 10.00 |
| 250 | copallina, | 2 ft. | 1.00 8.00 |
| 25 | Cotinus (Smoke tree), | 2 to 3 ft. | 1.50 |
| 75 | typhina, | 4 to 5 ft. | 1.25 - 10.00 |
| 500 | glabra, | 4 to 5 ft. | 1.50 12.00 |
| | | | |

| | | | | | Per 10 1 | Per 100 |
|---------------------|---|----|---|-----|----------|---------|
| 25 Rhus Osbeckii, | | | 4 | ft. | 5.00 | |
| 300 Ribes aureum, | | | 3 | ft. | 1.00 | 8.00 |
| 15 Robinia hispida, | 2 | to | 3 | ft. | 1.25 | |

WILD ROSES.

| | | | Per 10 | Per 100 |
|-------------|----------------------|--------------|--------|---------|
| 150 Rosa | blanda, | 2 ft. | 1.00 | 8.00 |
| 300 | | 18 to 24 in. | .90 | 7.00 |
| 150 | | 12 to 18 in. | .80 | 6.00 |
| 500 | Carolina, | 2 ft. up. | 1.00 | 8.00 |
| 200 | , | 18 to 24 in. | 1.00 | 6.00 |
| 300 | | 12 to 18 in. | 1.00 | 5.00 |
| 750 | lucida, | 24 to 30 in. | 1.25 | 10.00 |
| 750 | | 18 to 24 in. | 1.00 | 8.00 |
| 100 | | 12 to 18 in. | .80 | 6.00 |
| 300 | lucida alba, | 12 to 15 in. | 1.25 | 10.00 |
| 200 | | 10 to 12 in. | .80 | 6.00 |
| 750 | multiflora Japonica, | 2 to 3 ft. | 1.25 | 10.00 |
| 350 | | 18 to 24 in. | 1.00 | 8.00 |
| 50 | nitida, | 18 to 24 in. | 1.25 | 10.00 |
| 150 | | 12 to 18 in. | 1.00 | 8.00 |
| 50 | rubiginosa, | 3 to 4 ft. | 1.25 | 10.00 |
| 400 | | 2 to 3 ft. | 1.00 | 8.00 |
| 20 | rubrifolia, | 2 to 3 ft. | 1.50 | |
| 200 | rugosa, | 24 to 30 in. | 2.00 | 15.00 |
| 500 | | 18 to 24 in. | 1.50 | 12.00 |
| 1.50 | | 12 to 18 in. | 1.25 | 8.00 |
| 5 00 | rugosa, alba, | 20 to 30 in. | 2.00 | 15.00 |
| 300 | Wichuriana, | 1 yr. | 1.00 | 8.00 |

HYBRID PERPETUAL ROSES.

| No. 1, 3-year in the following | varieties: |
|-----------------------------------|----------------------------------|
| Abel Carriere, velvety crimson. | Magna Charta, pink. |
| Alfred Colomb, carmine. | Marshall P. Wilder, carmine red. |
| Anna de Diesbach, pink. | Monsieur Boncenne, dark red. |
| Baron de Bonstetten, rich maroon. | Mrs. Charles Wood, crimson. |
| Capt. Christy, delicate rose. | Mrs. John Laing, pink. |
| Fisher Holmes, dark red. | Mrs. R. G. S. Crawford, pink. |
| Frau Karl Druschki, white. | Paul Neyron, cherry. |
| Gen. Jacqueminot, red. | Prince Camille de Rohan, deep |
| Gen. Washington, red. | crimson. |
| John Hopper, bright rose. | Ulrich Brunner, cherry red. |
| Mad. Gabriel Luizet, soft rose. | |
| | |

1.75 15.00

| | | | | D 40 | Don 100 |
|----------|--|-------------------------|-----------------|----------------------|---------|
| | ns Teplitz, deep red. oline Testout, satiny | - | et Dickson, wl | | Per 100 |
| | | | | 2.50 | 20.00 |
| American | n Beauty, red. | La Fran | ce, white. | | |
| Killarne | y, soft rose. | Marchion | ess of London | derry, wl | hite |
| La Fran | ce, pink. | Richmon | d, crimson. | | |
| | | | | 3.00 | 25.00 |
| Kaiseri | n Augusta Victoria, | white. Viscour | itess Folkesto | ne, flesh ti 3.50 | inted |
| 50 | Mme. Plantier, | dble. white, | 2 to 3 f | t. 1.25 | 10.00 |
| 100 | Mme. Geo. Br | uant, | 18 to 24 i | n. 2.50 | 20.00 |
| | CLIM | IBING ROS | SES | | |
| | | | | | Per 100 |
| 200 Ros | a Crimson Rambler, | | 3 f | | 12.00 |
| 500 | Dorothy Perkin | ns, pink, doul | ble, 2 to 3 f | t. 1.25 | 10.00 |
| 250 | | 1 y | r., 18 to 24 i | | 8.00 |
| 200 | Farquhar, pink | τ, | 2 to 3 f | t. 1.50 | 12.00 |
| 100 | | 1 yr. | , 18 to 24 in | n. 1.00 | 10.00 |
| 350 | Lady Gay, che | | 2 to 3 f | | 10.00 |
| 200 | | 1 y | r., 18 to 24 in | n. 1.00 | 8.00 |
| 50 | Prairie Queen, | pink, | 2 to 3 f | t. 1.25 | 10.00 |
| 50 | Seven Sisters, | | 2 to 3 f | t. 1.20 | 10.00 |
| 240 | Setigera and V | Vichuria na, s l | nell pink, | | |
| | | | | t. 1.25 | 10.00 |
| 100 | | | 18 to 24 in | n. 1.00 | 8.00 |
| 150 | | 1 yr | ., 18 to 24 in | a80 | 6.00 |
| | The Setigera a | | | | |
| | these two well | | | | |
| | good foliage an | | | | |
| | | er large, sing | | | |
| | • | one of the b | est new rose | s in | |
| | this line. | | | | |
| *** | Wichuriana, se | e Wild Roses | | | |
| 100 Sali | x alba, | | 6 to 8 f | | 8.00 |
| 1000 | 72 1 1 4 (77 | | 5 to 6 f | t80 | 6.00 |
| 50 | Babylonica (V | Visconsin We | | | |
| 700 | | | 6 to 8 f | t. 2.00 | |
| 100 | Caprea, variety | 7 (Solomon's | , | | |
| 050 | | | 6 to 8 f | | 15.00 |
| 250 | TD :4 | | 4 to 5 f | | 8.00 |
| 200 | Britzensis, | | 6 to 7 f | | 8.00 |
| 500 | m == 4 = - 1 | .:6-3:-> | 4 to 5 ft | | 6.00 |
| 250 | pentandra (lau | riiolia) | 4 to 5 f | t. 1.25 | 10.00 |

| | | | Per 10 | Per 100 | |
|------|--|-----------------|--------|---------|--|
| 500 | Salix pentranda (laurifolia) | 3 to 4 ft. | 1.00 | 8.00 | |
| 600 | Sambucus Canadensis, | 2 to 3 ft. | .75 | 6.00 | |
| 150 | Canadensis aurea, | 18 to 24 in. | 1.00 | 8.00 | |
| 75 | racemosa, | 3 to 4 ft. | 1.50 | 12.00 | |
| 250 | Spiræa Anthony Waterer, | 24 in. | 1.25 | 10.00 | |
| 75 | arguta multiflora, | 3 ft. | 1.25 | 10.00 | |
| 20 | Billardii, | 3 to 4 ft. | 1.00 | 8.00 | |
| 100 | Japonica (callosa) red, | 3 to 4 ft. | 1.25 | 10.00 | |
| 175 | Japonica (callosa) white, | 18 to 24 in. | 1.00 | 8.00 | |
| 100 | prunifolia, | 2 to 3 ft. | 2.00 | 15.00 | |
| 500 | Thumbergii, | 3 ft. | 1.25 | 10.00 | |
| 200 | | 2 to 3 in. | 1.00 | 8.00 | |
| 750 | Van Houttei, | 3 to 4 ft. | 1.25 | 10.00 | |
| 1250 | | 2 to 3 ft. | 1.00 | 8.00 | |
| 750 | Stephanandra flexuosa, heavy, | 18 to 24 in. | 1.00 | 6.00 | |
| | Symphoricarpus racemosa, | 3 ft. | 1.00 | 8.00 | |
| 600 | vulgaris, | 2 ft. | 1.00 | 5.00 | |
| 500 | S , | 18 to 24 in. | | 3.00 | |
| 20 | Syringa Japonica, Tree Lilac, | 4 to 5 ft. | 5.00 | | |
| 35 | | 3 ft. | 3.00 | | |
| 30 | Josikæa, | 3 to 4 ft. | 2.50 | | |
| 15 | Persica Saugeana, | 2 to 3 ft. | 1.50 | | |
| 75 | Persica Saugeana, alba, | 3 to 4 ft. | 2.00 | 15.00 | |
| 50 | | 2 to 3 ft. | 1.50 | 12.00 | |
| 25 | Persica Rothamagensis, | 2 to 3 ft. | 1.50 | 12.00 | |
| 350 | vulgaris, | 3 to 4 ft. | 1.25 | 10.00 | |
| 400 | | 18 to 24 in. | .80 | 7.00 | |
| 400 | vulgaris, alba, | 3 to 4 ft. | 1.50 | 12.00 | |
| 600 | | 2 to 3 ft. | 1.25 | 10.00 | |
| 400 | | 18 to 24 in. | 1.00 | 8.00 | |
| 20 | ${ m villosa},$ | 3 ft. | 2.00 | 18.00 | |
| 150 | , | 18 to 24 in. | 1.75 | 15.00 | |
| 100 | Syringa vulgaris in following nam | | on | 10.00 | |
| | Syringa, stocky plants from 2 to | | to | | |
| | variety, | o iv, according | 3.00 | 25.00 | |
| 25 | Alexander Von Humboldt, lilac, | | | | |
| 200 | 200 Alba grandiflora, wt. single | | | | |
| 16 | 16 Alphonse La Velle, semi double, pale lavender | | | | |
| | Aline Mocquery, dark red, single | | | | |
| | Portha Dammonn wet single | | | | |

²⁵ Bertha Dammann, wt. single

⁵ Dr. Troyanowsky, dble, mauve

⁵⁰ Charles X., single lilac

⁴⁷ Congo, dble red

⁶ Lemoinei, dble, lilac

Per 10 Per 100

| | | | Per 10 | Per 100 |
|-------------|-----------------------------------|----------------------|--------|---------|
| 26 | Maxime Cornu, dble pinkish lila | c | | |
| 125 | Marie Legraye, large wt. single | | | |
| 20 | Mathiew de Dombastle, dble. lila | e | | |
| 200 | Mme. Lemoine, dble. wt. | | | |
| 6 | Michael Buckner, dble. pale lila | c | | |
| 11 | Pres. Carnot, semi dble. lavender | • | | |
| 200 | Souvenir de L. Spathe, purple, s | ingle | | |
| 5 | Pres. Loubet, dble., purplish red | | | |
| 2 | Pres. Viger, dble., bluish lilac | | | |
| | Princess Alexandra, single white | e | | |
| 15 | Senator Volland, dble. lavender | | | |
| 7 | Wm. Robinson, dble. mauve | | | |
| 7 | Virginitie, pink, dble. | | | |
| 25 | Tamarix Gallica, | 2 to 3 ft | . 1.00 | 8.00 |
| 50 | Taxodium distichium, | 4 to 5 ft | . 2.50 | |
| | | in. cal., 8 to 10 ft | 6.00 | 50.00 |
| 150 | , , | 8 ft | | 40.00 |
| 20 | Europæa, | 1½ to 2 in. caliper | 6.00 | |
| 50 | • ′ | 8 ft | | 40.00 |
| 25 | Ulmus Americana, 11/2 to 2 in. | cal., 10 to 12 ft | . 7.50 | |
| 75 | | 8 to 10 ft | | 40.00 |
| 200 | | 6 to 8 ft | . 2.50 | 15.00 |
| 10 | Vaccinium corymbosum, | 2 to 3 ft | . 7.50 | |
| 25 | Viburnum acerifolium, | 18 to 24 in | . 2.50 | |
| 250 | cassinoides, | 3 ft | . 2.50 | 20.00 |
| 5 00 | | 2 to 3 ft | . 2.00 | 15.00 |
| 300 | dentatum, | 3 to 4 ft | . 1.20 | 10.00 |
| 250 | | 18 to 24 in | . 1.00 | 6.00 |
| 150 | Lantana, | 3 to 4 ft | . 1.25 | 10.00 |
| 400 | molle, | 5 to 6 ft | . 1.50 | 12.00 |
| 200 | | 3 ft | . 1.25 | 10.00 |
| 750 | opulus, | 2 to 3 ft | . 1.00 | 8.00 |
| 50 | opulus sterilis, | 3 to 4 ft | . 1.25 | 10.00 |
| 75 | | 2 to 3 ft | . 1.00 | 8.00 |
| 5 0 | plicatum, | 2 to 3 ft | 2.50 | 20.00 |
| 20 | pubescens, | 18 to 24 in | . 2.00 | |
| 150 | tomentosum, heavy, | 3 to 4 ft | . 2.50 | 20.00 |
| 200 | Xanthorrhiza apiifolia, clumps, | | 1.50 | 12.00 |
| 30 | Yucca filamentosa, | strong | . 1.25 | |
| 5 00 | | 3 yrs | 50 | 3.00 |
| | | - | | |

VINES AND CLIMBERS

| | | | Per 100 |
|-------------|---|------|---------|
| | Actinida arguta, 4 yrs., strong | | 25.00 |
| | Akebia quinata, 3 yrs., | | 15.00 |
| 1000 | Ampelopsis quinquefolia, strong, 3 yrs. | | 6.00 |
| 400 | 1 yr. | | 4.00 |
| 150 | Englemanii, strong, 2 yrs. | | 8.00 |
| 250 | 1 yr. | | 6.00 |
| 500 | Veitchii, 3 yrs., trans. twice, | | 12.00 |
| | Aristolochia sipho, 2 to 3 ft. | | |
| 100 | 3 yrs. | | 20.00 |
| 500 | Bignonia radicans, strong, 3 yrs. | | 8.00 |
| | Celastrus paniculata, strong, 3 to 4 ft. | | 8.00 |
| 300 | 2 to 3 ft. | - | 6.00 |
| 100 | scandens, strong, 2 to 3 ft. | 1.25 | 10.00 |
| 5 0 | Clematis angustifolia, 3 yrs., 2 to 3 ft. | 1.25 | 10.00 |
| 25 | apiifolia, strong | 1.25 | 10.00 |
| 200 | paniculata, 3 yrs. | 2.00 | 15.00 |
| 5 0 | Jackmanii, | 3.00 | |
| 50 | Henryi, | 3.00 | |
| 75 | Virginiana, 2 yrs. | 1.30 | 12.00 |
| 350 | Euonymous Jap. viridis radicans, 4 yrs. | 1.50 | 10.00 |
| 350 | 3 yrs. | 1.00 | 8.00 |
| 100 | Kudzu vine, | 1.50 | 12.00 |
| 20 | sempervirens (Scarlet Trumpet), | 1.50 | |
| 25 | Sullivanti (Yellow Trumpet), | 1.50 | |
| 150 | Lycium vulgare, | 1.00 | 8.00 |
| 100 | Periploca Græca, strong, | 1.00 | 8.00 |
| 700 | Vinca minor, single purple, | .80 | 6.00 |
| 5 00 | double blue, | .50 | 4.00 |
| 100 | single blue, | .50 | 4.00 |
| All | l clumps trans. | | |
| | Vitis Heterophylla, | 2.00 | |
| 5 0 | Wistaria multijuga, strong, 3 to 4 ft. | 3.00 | |
| 6 | multijuga, alba, strong, 5 to 6 ft. | | |
| 5 0 | strong, 3 to 4 ft. | 5.00 | |
| 5 0 | Sinensis, strong, 4 to 6 ft. | | |
| 100 | alba, strong, 3 to 4 ft. | 3.00 | |
| | <i>G</i> , | | |

HERBACEOUS PERENNIALS.

| | | Per 10 | Dan 100 |
|--------------|--|--------|--------------|
| 100 | Achillea serrata, The Pearl, | .75 | 6.00 |
| | Agrostemma coronoria, pink and white, | .60 | 5.00 |
| | Alyssum saxatile, Gold Dust, | .75 | 6.00 |
| | Althea rosea, Hollyhocks, single and double, | 1.00 | 8.00 |
| | Anthericum liliastrum. | 1.00 | 8.00 |
| | Aquilega, Columbines in variety, | 1.00 | 8.00 |
| | Arabis alpina, | 1.00 | 8.00 |
| | Armeria, Thrift, | 1.00 | 8.00 |
| | Asclepias tuberosa, | .60 | 5.00 |
| | Aster Novæ-Angliæ purpurea, | .60 | 5.00 |
| | Aster Novæ-Angliæ, var. rosea, | .60 | 5.00 |
| | Boltonia asteroides. | 1.00 | 8.00 |
| | Campanula medium, Canterbury Bells, colors, | 1.00 | 8.00 |
| | Convallaria majalis, | .50 | 4.00 |
| | Coreopsis grandiflora, | .60 | 5.00 |
| | Delphinium grandiflorum, Chinese Larkspur, | 1.00 | 8.00 |
| | Delphinium elatum, hybrids, | 1.00 | 8.00 |
| | Dianthus barbatus, Sweet Williams, colors, | 1.00 | 8.00 |
| | Dicentra spectabilis, Bleeding Heart, | 1.00 | |
| | Dictamnus Fraxinella, red and white, | 1.50 | |
| | Digitalis grandiflora, | 1.00 | 8.00 |
| | Digitalis purpurea, Foxglove in variety, | 1.00 | 8.00 |
| | Digitalis purpurea, var. alba, | 1.00 | 8.00 |
| | Epimedium, red, | 1.00 | 8.00 |
| 200 | Erigeron, | 1.00 | 8.00 |
| 50 | Funkia ovata, | 1.00 | 8.00 |
| 100 | Funkia ovata marginata, | 1.00 | 8.00 |
| 5 0 | Funkia Sieboldiana, | 1.25 | 10.00 |
| 100 | Funkia subcordata, | 1.50 | 12.00 |
| 200 | Gaillardia grandiflora, | .60 | 5.00 |
| 100 | Geranium sanguineum, | 1.00 | 8.00 |
| 300 | Gypsophila paniculata, | .75 | 6.00 |
| 5 00 | Helenium autumnale, | .60 | 5.00 |
| 200 | Helianthus Maximilianus, | .60 | 5.00 |
| 5 00 | Helianthus mollis, | .60 | 5.00 |
| 200 | Helianthus, Miss Melish, | 1.00 | 8.00 |
| 200 | Helianthus orgialis, | 1.00 | 8.00 |
| 200 | Hemoracallis Dumortieri, | .60 | 5.00 |
| 100 | Hemerocallis flava, | .60 | 5.00 |
| 5 000 | Hemerocallis fulva, | .60 | 5.00 |
| | Hemerocallis fulva, \$20.00 per 1000. | | |
| | Hibiscus Moscheutos, 2 yrs. | .60 | 5 .00 |
| 50 | Iberis Gibraltica, Hardy Candytuft, | 1.00 | 8.00 |
| | | | |

| | | Per 10 | |
|------|---|--------|--------------|
| | Iris Germanica, colors separate, | .75 | 6.00 |
| | Iris Japan or Kæmphers, colors separate, | .75 | 6.00 |
| | Lathyrus latifolius, rose, heavy, | .75 | 6.00 |
| | Lathyrus latifolius, white, | 1.00 | 8.00 |
| | Liatris pycnostachya (Kansas Gay Feather), | .75 | 5.00 |
| | Liatris scariosa, | .75 | 5.00 |
| | Lilium album, | 1.50 | 12.00 |
| | Lilium oubrum, | 1.50 | 12.00 |
| | Lilium tigrinum, | .80 | 6.00 |
| | Lilium umbillatum, | 1.50 | 12.00 |
| | Lupinus polyphyllus, blue and white, | .75 | 6.00 |
| | Lysimachia clethroides, | .60 | 5 .00 |
| | Mertensia Virginiana, Lung-wort, | 1.00 | 8.00 |
| | Mitchella repens, Partridge Berry, sod, | .60 | 5. 00 |
| 200 | Monarda didyma, | 1.00 | 8.00 |
| 100 | Orobus vernus, blue, | 1.00 | 8.00 |
| | Papaver orientalis, | 1.00 | 8.00 |
| 100 | Papaver nudicaule, orange, yellow and white, | 1.00 | 8.00 |
| | Pardanthus Chinensis, | 1.00 | |
| 2000 | Phlox paniculata in following var. (decussata), | 1.25 | 6.00 |
| | Aurora borealis, light crimson. | | |
| | Beranger, salmon, shading to white. | | |
| | Coquelicot, bright coral red. | | |
| | Coran de Ache, crimson pink. | | |
| | Cross of Honor, pink and white. | | |
| | Charles Darwin, salmon pink. | | |
| | Eclaireaux, purplish crimson. | | |
| | Esperance, lavender. | | |
| | Ferdinand Cortez, bright crimson. | | |
| | Gen. Chanzy, scarlet pink. | | |
| | Independence, pure white. | | |
| | Iris, purplish blue. | | |
| | James Bennett, pink. | | |
| | James Galloway, light crimson. | | |
| | Limineaux, large pink, center light. | | |
| | LeFeu de Monde, salmon red. | | |
| | Michael Buckner, light pink, dark center. | | |
| | Mme. Meuret, bright red. | | |
| | Mme. P. Langier, bright red. | \ | |
| | Ornament, large red. | | |
| | Pink Beauty. | | |
| | R. P. Struther, crimson, dark center. | | |

Wm. Muhle, large, salmon pink. Saisons Liervol, white, pink eye.

Thehaide, salmon red.

| | Per 10 Per 100 |
|------------------------------------|----------------|
| Phlox subulata, atropurpurea, | 1.00 6.00 |
| Phlox subulata, lilac, | 1.00 6.00 |
| Phlox subulata, white, | 1.00 6.00 |
| 500 Platycodon grandiflora, blue, | 1.00 8.00 |
| 500 Platycodon grandiflora, white, | 1.00 8.00 |
| 100 Polygonatum multiflorum, | 1.00 8.00 |
| 1000 Peonies, named var., | 2.00 15.00 |
| | |

Alba sulphurea, light pink, yellow and cream.

Ambrose Versafelt, dark red.

Anemone flowered, dark red.

Buchii, pink, salmon center.

Duc de Cases, dark pink, salmon center.

Delachii, dark red.

De Villaneuve, dark pink.

Charles de Bellyme, brilliant violet purple.

Carnea elegans, light pink, rose petals.

Duchess of Orleans, rose.

Duchess de Nemours, sulphur, with white.

Edules superba, satin rose.

Faust, deep pink, center gray white.

Festiva maxima, white center, petals tinged with carmine.

Francis First, pink.

Gloria de Doriae, red.

Illustration, lively rose.

Indespensible, soft rose.

James de Rothschild, flesh and light vellow.

Lady Dartmouth, white and carmine.

La Curiosite, purple rose.

Lucrece, rose.

Madam Mechin, dark red.

Mme. Jules Carlot, flesh pink.

Mareshal Vaillant, late red.

Marie, white.

Marquise de La Tourette, brilliant purple wine.

Magnifica, rosy white.

Mme. Cheney, late pink.

Ne Plus Ultra, rose pink.

Neva plenissima, early white.

Nobelissima, flesh and buff.

Paganini, lively rose.

Souvenir de August Miller, purple.

Richard Fetters, light pink.

Reine Potard, dark pink.

Pulcharina, satin rose.

| 1 | Per 10 P | er 100 |
|--|----------|--------|
| Peonies—Continued. | | |
| Prolifica tricolor, white with yellow. | | |
| Pottsi Plena, dark red. | | |
| Tricolor Grand de Flora, rose. | | |
| Louis Van Houttei, crimson. | | |
| Mixed varieties to color, large clumps, | .10 | |
| Officinalis rubra plena. | | |
| Officinalis rosea plena. | | |
| Officinalis alba plena. | | |
| 200 Primula officinalis, | 1.00 | 8.00 |
| 500 Pyrethrum uliginosum, | 1.00 | 8.00 |
| 100 Pyrethrum hybrids, | 1.00 | 8.00 |
| 500 Rudbeckia, Golden Glow, | .60 | 5.00 |
| 100 Rudbeckia subtomentosa, | 1.00 | 8.00 |
| 100 Rudbeckia speciosa, | .60 | 5.00 |
| 500 Sabbathia chloroides, | .50 | 5.00 |
| 1000 Solidago, Golden Rod, names not known, | .50 | 4.00 |
| 500 Spiræa Filipendula, | .50 | 4.00 |
| 100 Spiræa palmata rosea, | 1.00 | 8.00 |
| 200 Spiræa palmata var elegans, white, | 1.00 | 8.00 |
| 200 Spiræa Ulmaria, dble. white, | 1.00 | 7.00 |
| 500 Viola Schonbrunn, small plants, single, hardy, | .75 | 6.00 |
| 100 Viola cuculata, blue, | .75 | 6.00 |
| 100 Viola cuculata, white, | .75 | 6.00 |

FRUIT TREES, GRAPES, SMALL FRUITS, ASPARA-GUS AND RHUBARB.

APPLES, 3/4 in. caliper,

Each Per 10 5 to 7 ft. .45 3.50

Summer.

Early Harvest. Red Astrachan. Tetofsky.

Yellow Transparent.

Fall.

Gravenstein.

Maidens Blush.

McIntosh Red.

Porter. Red Crab. Yellow Crab.

Winter.

Baldwin.
Wealthy.
Fameuse.
Hubbardston.
King.
Northern Spy.

Rhode Island Greening. Russet Golden. Russet Roxbury. Yellow Bellefleur. York Imperial.

4 to 5 ft. .50

Each Per 10 Per 100

.15 1.30 10.00

CHERRIES, Black Tartarian. Early Richmond. May Duke. Napoleon.

Alternate Baldwin,

5 to 7 ft. .40 Smiths. Windsor, black.

Yellow Spanish.

GRAPES, two years, Concord, black. Early Ohio, black. Moores Early, black. Wilder, black. Niagara, white.

Perkins, white.
Agawam, red.
Brighton, red.
Delaware, red.
Salem, red.

Each Per 10 Per 100 PEACHES. 4 to 5 ft. .25 2.00 18.00 Belle of Georgia. Crosbv. Carman. Mayflower, 30 cents. Champion. Mountain Rose. Crawford's Early. Old Mixon Free. Crawford's Late. Stump of the World. Elberta. Waddell. Chairs Choice. Each PEARS, 5 to 7 ft. .30 Beurre d'Anjou. Sheldon. Bartlett. Lawrence. Louis Bonne de Jersey. Beure Bosc, 75 cents. Clapp's Favorite. Osband's Summer. Seckel. Duchess d'Angouleme. PLUMS, European varieties, 5 to 7 ft. .30 Coe's Golden Drop. Lombard. Bradshaw. Washington. Yellow Egg. German Prune. Green Gage. PLUMS, Japanese varieties, 5 to 7 ft. .30 Abundance. Red June. Burbank. Satsuma. Chabot. Wickson. 3 to 4 ft. .30 QUINCE, Orange. Champion. Each Per 10 Per 100 BLACKBERRIES, .40 3.00 Kittatiny. Snyder. Leucretia (Dewberry), CURRANTS. 6.00 2 yrs. .75Fay's prolific, red. Black Naples. White Grape. Cherry red. 1.30 10.00 GOOSEBERRIES, Downing, 2 vrs. .151.50 14.00 2 yrs. .20

Industry,

| RASPBERRIES, Cuthbert. Blackcap. | Miller's. | Each | Per 10 : .40 | Per 100 3.00 |
|---|-----------|------|---------------------------------|---------------------------------|
| ASPARAGUS, Conovers Colossal, | 2 yrs. | | .15 | 1.00 |
| RHUBARB, Linnæus, | | 15. | 1.00 | 6.00 |
| STRAWBERRIES, Bubach, Excelsior Marshall, Nich Ohmer, Minute Man, Splendid, | | | .10 .10 .10 .10 .10 | .75 .75 .75 .75 .75 |

Fruits wanted in quantity can be furnished on all lists received before the middle of September. Prices will be quoted on any list of varieties calling for 100 or more Apples, 100 or more Peaches, etc., etc.

Varieties of fruits not offered in this list, we can obtain, at a reasonable price, when the order is received before the middle of September.









